

FROM CONCEPT TO CREATION


Volume-1




www.skypetile.com



"WE DON'T WAIT FOR THE FUTURE. WE BUILD IT."





INNOVATING WITH INTEGRITY, LEADING WITH PURPOSE.



SKYPE TILE

Skype Tile is the world's leading brand in vitrified tiles. A revolutionary architectural surface with premium Technical features. At Skype we never stop evolving, Researching and developing new technologies Because our objectives are clear, to be the leading Brand in bringing unique spaces to life.

> Largest production unit of india 40,000 Box / Day

We Have **700**+ Unique Tiles Design In Our Display.

We Are Connected With 55+ Countries' Dealers.

100% Eco Labeling Production System Plant.



WHERE POSSIBILITIES KNOW NO LIMITS: WELCOME TO ENDLESS COLLECTION.

DESIGN INSPIRATION

The tiles design is a stunning homage to the beauty of nature, each pattern And texture intricately crafted to evoke the organic elements found in the Natural world. With hues reminiscent of earthy tones, serene blues, and Vibrant greens, the tiles transport the observer to tranquil forests, tranquil Beaches, or lush gardens. From the gentle swirls mimicking the flow of water To the intricate leaf motifs, every detail reflects the harmony and balance Found in nature's creations. Whether its indoor spaces or outdoor spaces, it Creating a serene and inviting ambiance that celebrates the timeless Elegance of the natural world.







PRODUCT PROPERTIES













I COMPACTNESS

Porcelain stoneware has Compact, non-porous Surfaces. This characteristic Makes the material highly Safe, hygienic and ideal for Food contact.

HYGENIC

Porcelain stoneware are Nsf-certified for direct food Contact and are therefore Ideal for safe use in both Domestic and restaurant Settings.

I STRENGTH


Porcelain stoneware has Excellent strength and surface Hardness make the surfaces Resistant to wear, scratches And almost all physical and Mechanical stresses.

ISTABILITY

The chemical-physical Stability of porcelain Stoneware makes it a Material resistant to Chemicals, not prone to Color changes.


TECH-MARBLE

Thanks to advanced production Technology, skype tiles are allow The reproduction of any colour, Texture, pattern or textural effect Guaranteeing extraordinary Aesthetic versatility.





EVERY SPACE TELLS A STORY, LET TILES BE YOUR NARRATOR.



It's A Clickable Catalogue





Tap To







SKYPE TILE









2

2507



2512



2513











2521








2528





2532



2534 2535




2531



2541 2542

2549









2560



2548







2561







2568






AVAILABLE RANDOMS : 4

ENDLESS POSSIBLITIES



POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX







POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	
Chemical & Stain Resistant	() Ciro
Fire Resistant	(my)



www.skypetile.com

Extensive Collection





AVAILABLE RANDOMS : 4


ENDLESS POSSIBLITIES





POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX








POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	
Chemical & Stain Resistant	() ()
Fire Resistant	(my)





BACK TO INDEX

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES



POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS







POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	<u>~</u>
Chemical & Stain Resistant	(;;) (;)
Fire Resistant	222 Terry





INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES



POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	**
Scratch Resistant	
Chemical & Stain Resistant	() ()
Fire Resistant	222 Terry





INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 3




ENDLESS POSSIBLITIES



POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() () ()
Fire Resistant	222 (Very)



www.skypetile.com

Extensive Collection



AVAILABLE RANDOMS : 4


INFORMATION

DIMENSION: 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**


DESIGN : **RANDOM DESIGN**

ENDLESS POSSIBLITIES




POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS











Rotated 90°

Frost Resistant	*
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	
Fire Resistant	(my)




AVAILABLE RANDOMS : 4

ENDLESS POSSIBLITIES







TECHNICAL CHARACTERISTICS



BACK TO INDEX







Rotated 90°

Frost Resistant	*
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	(); (); (); (); (); (); (); (); (); ();
Fire Resistant	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~



INFORMATION

DIMENSION: 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX






POSSIBILITIES : 2

Each Random Rotated 90°

Frost Resistant	₩
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() () ()
Fire Resistant	222 (my)





INFORMATION

DIMENSION: 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





TECHNICAL CHARACTERISTICS



BACK TO INDEX






POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	
Chemical & Stain Resistant	(); (); (); (); (); (); (); (); (); ();
Fire Resistant	222 Corrego




www.skypetile.com

Extensive Collection




BACK TO INDEX

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES






POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS







Rotated 90°

Frost Resistant	*
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	(;;) (;)
Fire Resistant	222 Terry



BACK TO INDEX

AVAILABLE RANDOMS : 4

INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**




ENDLESS POSSIBLITIES





POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS







POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	
Chemical & Stain Resistant	() ()
Fire Resistant	222 (my)





BACK TO INDEX


AVAILABLE RANDOMS : 4

ENDLESS POSSIBLITIES



POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS









POSSIBILITIES : 2


Frost Resistant	*
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() () ()
Fire Resistant	222 (Very)





BACK TO INDEX

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES



POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS







POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	
Chemical & Stain Resistant	(); (); (); (); (); (); (); (); (); ();
Fire Resistant	222 (my)



www.skypetile.com

Extensive Collection






AVAILABLE RANDOMS : 4

ENDLESS POSSIBLITIES



POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX







POSSIBILITIES : 2

Frost Resistant	***
Scratch Resistant	
Chemical & Stain Resistant	() () ()
Fire Resistant	(my)



AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES



POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	**
Scratch Resistant	
Chemical & Stain Resistant	() ()
Fire Resistant	222 Terry





AVAILABLE RANDOMS : 4

INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**




ENDLESS POSSIBLITIES





POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	
Chemical & Stain Resistant	(); (); (); (); (); (); (); (); (); ();
Fire Resistant	222 (my)



www.skypetile.com

Extensive Collection



AVAILABLE RANDOMS : 4

INFORMATION

DIMENSION: 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**




ENDLESS POSSIBLITIES



POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	(;;) (;)
Fire Resistant	222 Terry





INFORMATION

DIMENSION: 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX





POSSIBILITIES : 2

Each Random Rotated 90°

Frost Resistant	*
Scratch Resistant	
Chemical & Stain Resistant	() ()
Fire Resistant	222 (WY)



INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : GLOSSY SURFACE

DESIGN : RANDOM DESIGN

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





P

TECHNICAL CHARACTERISTICS



BACK TO INDEX





POSSIBILITIES : 2

Each Random Rotated 90°

Frost Resistant	₩
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() ()
Fire Resistant	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~



www.skypetile.com

Extensive Collection



INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





TECHNICAL CHARACTERISTICS




BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	
Chemical & Stain Resistant	() Circle
Fire Resistant	222 (my)




AVAILABLE RANDOMS : 4

ENDLESS POSSIBLITIES



POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX







POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() () ()
Fire Resistant	222 (Very)



INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : Glossy Surface

DESIGN : RANDOM DESIGN

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





TECHNICAL CHARACTERISTICS




BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	
Chemical & Stain Resistant	() Circle
Fire Resistant	222 (my)



AVAILABLE RANDOMS : 4


INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**






ENDLESS POSSIBLITIES






POSSIBILITIES : 1


TECHNICAL CHARACTERISTICS



BACK TO INDEX








POSSIBILITIES : 2

Each Random Rotated 90°

Frost Resistant	₩
Scratch Resistant	
Chemical & Stain Resistant	() () ()
Fire Resistant	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~



AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	
Chemical & Stain Resistant	() Circle
Fire Resistant	222 (my)



www.skypetile.com

Extensive Collection



BACK TO INDEX


AVAILABLE RANDOMS : 4

INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**




ENDLESS POSSIBLITIES





POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS










POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	
Chemical & Stain Resistant	(ii)
Fire Resistant	222 My



INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : GLOSSY SURFACE

DESIGN : RANDOM DESIGN

AVAILABLE RANDOMS : 4



ENDLESS POSSIBLITIES






POSSIBILITIES : 1

P

TECHNICAL CHARACTERISTICS



BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	₩
Scratch Resistant	200
Chemical & Stain Resistant	() ()
Fire Resistant	222 Cory



BACK TO INDEX


AVAILABLE RANDOMS : 4

INFORMATION


DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**


DESIGN : **RANDOM DESIGN**



ENDLESS POSSIBLITIES












POSSIBILITIES : 2

Each Random Rotated 90°

Frost Resistant	₩
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() ()
Fire Resistant	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~




SURFACE :

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES






POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS




BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	**
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() ()
Fire Resistant	(my)



BACK TO INDEX

AVAILABLE RANDOMS : 4


INFORMATION **DIMENSION** : 600X1200MM

SURFACE : **GLOSSY SURFACE**


DESIGN : **RANDOM DESIGN**




ENDLESS POSSIBLITIES












POSSIBILITIES : 2

Each Random Rotated 90°

Frost Resistant	**
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() () ()
Fire Resistant	222



www.skypetile.com

Extensive Collection



BACK TO INDEX

AVAILABLE RANDOMS : 4

INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : GLOSSY SURFACE


DESIGN : RANDOM DESIGN



ENDLESS POSSIBLITIES



POSSIBILITIES : 1







POSSIBILITIES : 2

Each Random Rotated 90°

Frost Resistant	*
Scratch Resistant	
Chemical & Stain Resistant	(); (); (); (); (); (); (); (); (); ();
Fire Resistant	222 (my)



INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





TECHNICAL CHARACTERISTICS



BACK TO INDEX








POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() ()
Fire Resistant	222 Terry



www.skypetile.com


Extensive Collection




BACK TO INDEX

AVAILABLE RANDOMS : 4

ENDLESS POSSIBLITIES



POSSIBILITIES: 1










POSSIBILITIES : 2

Each Random Rotated 90°

Frost Resistant	*
Scratch Resistant	
Chemical & Stain Resistant	() Ciro
Fire Resistant	(my)



BACK TO INDEX

AVAILABLE RANDOMS : 4

INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**




ENDLESS POSSIBLITIES





POSSIBILITIES : 1








POSSIBILITIES : 2


Each Random Rotated 90°

Frost Resistant	*
Scratch Resistant	
Chemical & Stain Resistant	(); (); (); (); (); (); (); (); (); ();
Fire Resistant	222 (my)



BACK TO INDEX

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





POSSIBILITIES : 1








POSSIBILITIES : 2

Each Random Rotated 90°

Frost Resistant	*
Scratch Resistant	200
Chemical & Stain Resistant	() () ()
Fire Resistant	(my)



INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





POSSIBILITIES: 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX





POSSIBILITIES : 2

Each Random Rotated 90°

Frost Resistant	*
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	(ii)
Fire Resistant	222 (wy)




INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES






POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	₩
Scratch Resistant	200
Chemical & Stain Resistant	() ()
Fire Resistant	222 Cory



Extensive Collection




INFORMATION

DIMENSION : 600X1200MM 60X120CM


SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES






TECHNICAL CHARACTERISTICS



BACK TO INDEX






POSSIBILITIES : 2

Each Random Rotated 90°

Frost Resistant	₩
Scratch Resistant	100
Chemical & Stain Resistant	() () ()
Fire Resistant	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~



BACK TO INDEX


AVAILABLE RANDOMS : 4

ENDLESS POSSIBLITIES



POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS










POSSIBILITIES : 2

Frost Resistant	***
Scratch Resistant	
Chemical & Stain Resistant	() ()
Fire Resistant	(my)



www.skypetile.com

Extensive Collection



BACK TO INDEX


AVAILABLE RANDOMS : 4

INFORMATION


DIMENSION : 600X1200MM 60X120CM

SURFACE : GLOSSY SURFACE

DESIGN : RANDOM DESIGN




ENDLESS POSSIBLITIES



a s a s a s

POSSIBILITIES : 1

POS








POSSIBILITIES : 2

Each Random Rotated 90°

Frost Resistant	*
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() () ()
Fire Resistant	(my)





BACK TO INDEX


AVAILABLE RANDOMS : 4

ENDLESS POSSIBLITIES



POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS









POSSIBILITIES : 2

Frost Resistant	**
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() ()
Fire Resistant	(my)



INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	₩
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	(i) (i)
Fire Resistant	222 (244)



BACK TO INDEX

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS







POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() ()
Fire Resistant	(my)



INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS




BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	***
Scratch Resistant	
Chemical & Stain Resistant	() ()
Fire Resistant	(my)



AVAILABLE RANDOMS : 4

INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**




ENDLESS POSSIBLITIES





POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX






POSSIBILITIES : 2

Frost Resistant	**
Scratch Resistant	<u>~</u>
Chemical & Stain Resistant	() () ()
Fire Resistant	(my)



www.skypetile.com

Extensive Collection



BACK TO INDEX

AVAILABLE RANDOMS : 4

INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : GLOSSY SURFACE

DESIGN : RANDOM DESIGN




ENDLESS POSSIBLITIES



POSSIBILITIES : 1

rC

TECHNICAL CHARACTERISTICS







POSSIBILITIES : 2

Frost Resistant	**
Scratch Resistant	200
Chemical & Stain Resistant	(); (); (); (); (); (); (); (); (); ();
Fire Resistant	(my)




INFORMATION

DIMENSION : 600X1200MM 60X120CM


SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





POSSIBILITIES: 1

TECHNICAL CHARACTERISTICS




BACK TO INDEX






POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	(); (); (); (); (); (); (); (); (); ();
Fire Resistant	222 (my)




BACK TO INDEX

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES






POSSIBILITIES: 1








POSSIBILITIES : 2

Each Random Rotated 90°

Frost Resistant	*
Scratch Resistant	
Chemical & Stain Resistant	(); (); (); (); (); (); (); (); (); ();
Fire Resistant	(my)




INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : GLOSSY SURFACE

DESIGN : RANDOM DESIGN

AVAILABLE RANDOMS : 4



ENDLESS POSSIBLITIES




.

POSSIBILITIES : 1

- -

TECHNICAL CHARACTERISTICS



BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	***
Scratch Resistant	
Chemical & Stain Resistant	() () ()
Fire Resistant	(my)




BACK TO INDEX

AVAILABLE RANDOMS : 4

INFORMATION **DIMENSION** : 600X1200MM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**




ENDLESS POSSIBLITIES






POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS







POSSIBILITIES : 2

Frost Resistant	**
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() ()
Fire Resistant	(my)



BACK TO INDEX


AVAILABLE RANDOMS : 4

INFORMATION


DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**


DESIGN : **RANDOM DESIGN**



ENDLESS POSSIBLITIES











Rotated 90°

Frost Resistant	**
Scratch Resistant	<u> 10</u>
Chemical & Stain Resistant	
Fire Resistant	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~



BACK TO INDEX


AVAILABLE RANDOMS : 4

ENDLESS POSSIBLITIES




POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS











POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() ()
Fire Resistant	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~



www.skypetile.com

Extensive Collection



BACK TO INDEX

AVAILABLE RANDOMS : 4

INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**




ENDLESS POSSIBLITIES






POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS








POSSIBILITIES : 2

Frost Resistant	**
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() ()
Fire Resistant	(my)



BACK TO INDEX


AVAILABLE RANDOMS : 4

INFORMATION


DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**




ENDLESS POSSIBLITIES




POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS








POSSIBILITIES : 2

Each Random Rotated 90°

Frost Resistant	*
Scratch Resistant	
Chemical & Stain Resistant	(); (); (); (); (); (); (); (); (); ();
Fire Resistant	(my)




DIMENSION : 600X1200MM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES






TECHNICAL CHARACTERISTICS



BACK TO INDEX






Rotated 90°

Frost Resistant	*
Scratch Resistant	10
Chemical & Stain Resistant	
Fire Resistant	(eng)





BACK TO INDEX


AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES



TECHNICAL CHARACTERISTICS







POSSIBILITIES : 2

Frost Resistant	**
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() () ()
Fire Resistant	(my)



INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : GLOSSY SURFACE

DESIGN : RANDOM DESIGN

AVAILABLE RANDOMS : 4



ENDLESS POSSIBLITIES



TECHNICAL CHARACTERISTICS

POSSIBILITIES : 1

A 5 Easy To Clean 0 Y 1 6 Hygienic / Antibacterial Surface 2 SO 7 Water Resistant 3 Mitz 8 4 Impact Resistant

BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	₩
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() ()
Fire Resistant	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~



www.skypetile.com

Extensive Collection



INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





TECHNICAL CHARACTERISTICS



BACK TO INDEX








POSSIBILITIES : 2

Frost Resistant	**
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() () ()
Fire Resistant	(my)



BACK TO INDEX

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS









POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() ()
Fire Resistant	(my)



INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	**
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() () ()
Fire Resistant	(my)






INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() ()
Fire Resistant	222 Terry



BACK TO INDEX

AVAILABLE RANDOMS : 4


ENDLESS POSSIBLITIES





POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS









POSSIBILITIES : 2

Each Random Rotated 90°


Frost Resistant	*
Scratch Resistant	200
Chemical & Stain Resistant	() () ()
Fire Resistant	(my)



www.skypetile.com

Extensive Collection






AVAILABLE RANDOMS : 4

ENDLESS POSSIBLITIES



POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX








POSSIBILITIES : 2

Frost Resistant	**
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() () ()
Fire Resistant	(my)




AVAILABLE RANDOMS : 4

ENDLESS POSSIBLITIES



POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX







POSSIBILITIES : 2

Frost Resistant	₩
Scratch Resistant	10
Chemical & Stain Resistant	(i) (i)
Fire Resistant	222 (my)





INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() ()
Fire Resistant	(my)






INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() ()
Fire Resistant	222 Terry





BACK TO INDEX


AVAILABLE RANDOMS : 4

ENDLESS POSSIBLITIES



POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS









POSSIBILITIES : 2


Frost Resistant	*
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() () ()
Fire Resistant	(my)



www.skypetile.com

Extensive Collection






AVAILABLE RANDOMS : 4

ENDLESS POSSIBLITIES



POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX








POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() ()
Fire Resistant	(my)



INFORMATION

DIMENSION : 600X1200MM 60X120CM

SURFACE : **GLOSSY SURFACE**

DESIGN : **RANDOM DESIGN**

AVAILABLE RANDOMS : 4




ENDLESS POSSIBLITIES





POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS




BACK TO INDEX





POSSIBILITIES : 2

Frost Resistant	₩
Scratch Resistant	10
Chemical & Stain Resistant	(i) (i)
Fire Resistant	222 (my)




AVAILABLE RANDOMS : 4

ENDLESS POSSIBLITIES



POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS



BACK TO INDEX







POSSIBILITIES : 2

Frost Resistant	*
Scratch Resistant	<u>×</u> CP
Chemical & Stain Resistant	() ()
Fire Resistant	222 Terry





BACK TO INDEX


AVAILABLE RANDOMS : 4

ENDLESS POSSIBLITIES



POSSIBILITIES : 1

TECHNICAL CHARACTERISTICS









POSSIBILITIES : 2

Frost Resistant	₩
Scratch Resistant	<u>></u>
Chemical & Stain Resistant	() ()
Fire Resistant	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE OF SKYPE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
traightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
ectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
urface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
urface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
urface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
urface quality	> 95% defects free	> 95% defects free	ISO 10545-2
mall Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
lossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
lossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
lossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
ructural Properties			
/ater absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Jlk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
assive Mechanical Properties			
odulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
reaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
eaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
eaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
urface Mechanical Properties			
OH'S hardness	as per mfg.	Polished Min 4* / Satin,Posh & Matt Min 6	BS EN 15771
urface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
eep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
nermal Hydrometric Properties			
oisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
nermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
ermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
npact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
ost resistance	as per mfg.	Frost Proof	ISO 10545-12
hemical Properties			
esistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
esistance to household chemicals & vimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
esistance to low concentrate acid and Ikalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
esistance to high concentrate acid and Ikalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
afety Properties			
kid resistance COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
lip resistance - (Satin / Matt (DCOF) R value)##	as per mfg.	R9 to R13**	DIN 51130
ire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT-PGVT	600x 1200mm	9mm	2 pcs.	1.44 sq. mtr.	27 KG (APPROX)





SKYPE TILE LLP Jetpar - Pipli Road, Opp. Blackberry Tiles, At: Shapar, Morbi, Gujarat, 363642

Email info@skypetile.com Website info@skypetile.com

Contact +91 99259 22227

STYLO