



SKYPE[®]
TILE LLP.

CRAFTING
COMFORTABLE
ENVIRONMENTS.




PORCELUX
Reflecting Elegance

Volume-2

www.skypetile.com



"WE DON'T WAIT
FOR THE FUTURE.
WE BUILD IT."



INNOVATING WITH INTEGRITY, LEADING WITH PURPOSE.

Skype Tile is the world's leading brand in vitrified tiles. A revolutionary architectural surface with premium Technical features. At Skype we never stop evolving, Researching and developing new technologies Because our objectives are clear, to be the leading Brand in bringing unique spaces to life.



Largest production unit of india
40,000 Box / Day



We Have **700+** Unique Tiles
Design In Our Display.



We Are Connected With
55+ Countries' Dealers.



100% **Eco Labeling**
Production System Plant.



REVEL IN THE RICH
SURFACES THAT
WHISPER ALLURING
TALES AND CAPTURE
OUR ATTENTION
LIKE NO OTHER.



DESIGN INSPIRATION


The tiles design is a stunning homage to the beauty of nature, each pattern
And texture intricately crafted to evoke the organic elements found in the
Natural world. With hues reminiscent of earthy tones, serene blues, and
Vibrant greens, the tiles transport the observer to tranquil forests, tranquil
Beaches, or lush gardens. From the gentle swirls mimicking the flow of water
To the intricate leaf motifs, every detail reflects the harmony and balance
Found in nature's creations. Whether its indoor spaces or outdoor spaces, it
Creating a serene and inviting ambiance that celebrates the timeless
Elegance of the natural world.

ILLUMINATING
INTERIORS WITH
IMPECCABLE SHINE.

SKYPE TILE



I PRODUCT PROPERTIES



I COMPACTNESS

Porcelain stoneware has Compact, non-porous Surfaces. This characteristic Makes the material highly Safe, hygienic and ideal for Food contact.

I HYGENIC

Porcelain stoneware are Nsf-certified for direct food Contact and are therefore Ideal for safe use in both Domestic and restaurant Settings.

I STRENGTH

Porcelain stoneware has Excellent strength and surface Hardness make the surfaces Resistant to wear, scratches And almost all physical and Mechanical stresses.

I STABILITY


The chemical-physical Stability of porcelain Stoneware makes it a Material resistant to Chemicals, not prone to Color changes.

I TECH-MARBLE

Thanks to advanced production Technology, skype tiles are allow The reproduction of any colour, Texture, pattern or textural effect Guaranteeing extraordinary Aesthetic versatility.

SKYPE TILE

SEIZE A PLAYFUL YET
SOPHISTICATED AMBIANCE
IN YOUR SPACES WITH AN
LUXURIOUS COLLECTION



EVERY SPACE TELLS A STORY,
LET TILES BE YOUR NARRATOR.

It's A Clickable Catalogue



Tap To
Explore
Each Product

Tap on particular product to
Explore full size view.



Tap To
Back To
Index Page

Again tap on the Tiles Page
To return to the Index page







3597 3598 3599 3600 3601 3602 3603



3604 3605 3606 3607 3608 3609 3610



3611 3612 3613 3614 3615 3616 3617





3618 3619 3620 3621 3622 3623 3624



3625 3626 3627 3628 3629 3630 3631



3632 3633 3634 3635 3636



Human Figure Height 1.80

DESIGN NAME
3569

Available In
4 Randoms

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE



DESIGN NAME

3570

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3571

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3572

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM



SURFACE

GLOSSY SURFACE





SKYPE
TILE LLP.



Human Figure Height 1.80

DESIGN NAME

3573

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE

Available In
5 Randoms

 [BACK TO INDEX](#)



DESIGN NAME

3574


Available In
5 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3575

Available In
3 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3576

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM


SURFACE

GLOSSY SURFACE





SKYPE
TILE LLP.



Human Figure Height 1.80

DESIGN NAME

3577

Available In
3 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE

 [BACK TO INDEX](#)



DESIGN NAME
3578

Available In
3 Randoms

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE



DESIGN NAME
3579

Available In
3 Randoms

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE





DESIGN NAME
3580

Available In
3 Randoms

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE





Human Figure Height 1.80

DESIGN NAME

3581

Available In
3 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE





DESIGN NAME

3582


Available In
5 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3583

Available In
5 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3584

Available In
6 Randoms

DIMENSION

600X1200MM | 60X120CM




SURFACE

GLOSSY SURFACE





SKYPE
TILE LLP.



Human Figure Height 1.80

DESIGN NAME

3585

Available In
5 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE

 [BACK TO INDEX](#)



DESIGN NAME

3586

Available In
5 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3587

Available In
5 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3588

Available In
5 Randoms


DIMENSION

600X1200MM | 60X120CM




SURFACE

GLOSSY SURFACE





SKYPE
TILE LLP.



Human Figure Height 1.80

DESIGN NAME

3589

Available In
3 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE

 [BACK TO INDEX](#)



DESIGN NAME

3590

Available In
3 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3591


Available In
3 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3592

Available In
6 Randoms

DIMENSION

600X1200MM | 60X120CM


SURFACE

GLOSSY SURFACE





SKYPE
TILE LLP.



Human Figure Height 1.80

DESIGN NAME

3593

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE

 [BACK TO INDEX](#)



DESIGN NAME

3594

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3595

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3596

Available In
4 Randoms




DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE





Human Figure Height 1.80

DESIGN NAME

3597

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE





DESIGN NAME

3598

Available In

4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3599

Available In

4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3600

Available In

4 Randoms


DIMENSION

600X1200MM | 60X120CM




SURFACE

GLOSSY SURFACE





SKYPE
TILE LLP.



Human Figure Height 1.80

DESIGN NAME

3601

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE

 [BACK TO INDEX](#)



DESIGN NAME

3602

Available In
4 Randoms

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE



DESIGN NAME

3603

Available In
4 Randoms

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE



DESIGN NAME

3604

Available In
4 Randoms



DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE





SKYPE
TILE LLP.



Human Figure Height 1.80

DESIGN NAME

3605

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE

 [BACK TO INDEX](#)



DESIGN NAME

3606

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3607

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3608

Available In
5 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE


GLOSSY SURFACE



DEPARTURES				
TIME	DESTINATION	FLIGHT	GATE	REMARKS
12:39	BERLIN	BA 903	31	CANCELLED
12:57	SYDNEY	QF5723	27	CANCELLED
13:08	TORONTO	AC5984	22	CANCELLED
13:21	TOKYO	JL 608	41	CANCELLED
13:37	HONG KONG	CX5471	29	CANCELLED
13:48	MADRID	IB3941	30	CANCELLED
14:19	LONDON	LH5021	28	CANCELLED
14:35	NEW YORK	AA 997	11	CANCELLED
14:54	PARIS	AF5870	23	CANCELLED
15:10	ROME	AZ5324	43	CANCELLED



SKYPE
TILE LLP.



Human Figure Height 1.80

DESIGN NAME

3609

Available In
5 Randoms


DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE

 [BACK TO INDEX](#)



DESIGN NAME

3610

Available In
5 Randoms

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE



DESIGN NAME

3611

Available In
5 Randoms

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE



DESIGN NAME



3612

Available In
5 Randoms

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE





Human Figure Height 1.80

DESIGN NAME

3613

Available In
5 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE





DESIGN NAME

3614

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3615

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3616

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM


SURFACE

GLOSSY SURFACE





SKYPE
TILE LLP.



Human Figure Height 1.80

DESIGN NAME

3617

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE

Available In
4 Randoms

 [BACK TO INDEX](#)



DESIGN NAME

3618

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3619

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3620

Available In
4 Randoms



DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE





Human Figure Height 1.80

DESIGN NAME

3621

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE

[BACK TO INDEX](#)



DESIGN NAME

3622

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3623

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3624

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM


SURFACE

GLOSSY SURFACE





SKYPE
TILE LLP.



Human Figure Height 1.80

DESIGN NAME

3625

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE

 [BACK TO INDEX](#)



DESIGN NAME

3626

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3627

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3628

Available In
4 Randoms



DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE





Human Figure Height 1.80

DESIGN NAME
3629

Available In
4 Randoms

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE

 [BACK TO INDEX](#)



DESIGN NAME

3630

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3631


Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3632

Available In
4 Randoms





DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE





Human Figure Height 1.80

DESIGN NAME

3633

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE





DESIGN NAME

3634

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3635

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE



DESIGN NAME

3636

Available In
4 Randoms

DIMENSION

600X1200MM | 60X120CM

SURFACE

GLOSSY SURFACE




TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.BIa	MEAN VALUE OF SKYPE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm²	Min. 35.0 N/mm²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin,Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT-PGVT	600x 1200mm	9mm	2 pcs.	1.44 sq. mtr.	27 KG (APPROX)



SKYPE
TILE LLP.



SKYPE TILE LLP

Jetpar - Pipli Road, Opp. Blackberry Tiles,
At: Shapar, Morbi, Gujarat, 363642

Email

info@skypetile.com

Website

info@skypetile.com

Contact

+91 99259 22227