

# CRAFTING COMFORTABLE ENVIRONMENTS.






Volume-3

www.skypetile.com



"WE DON'T WAIT FOR THE FUTURE. WE BUILD IT."





# **INNOVATING WITH INTEGRITY, LEADING** WITH PURPOSE.





#### SKYPE TILE

Skype Tile is the world's leading brand in vitrified tiles. A revolutionary architectural surface with premium Technical features. At Skype we never stop evolving, Researching and developing new technologies Because our objectives are clear, to be the leading Brand in bringing unique spaces to life.

> Largest production unit of india 40,000 Box / Day

We Have **700**+ Unique Tiles Design In Our Display.

We Are Connected With 55+ Countries' Dealers.

100% Eco Labeling Production System Plant.



REVEL IN THE RICH SURFACES THAT WHISPER ALLURING TALES AND CAPTURE OUR ATTENTION LIKE NO OTHER.

# DESIGN INSPIRATION

The tiles design is a stunning homage to the beauty of nature, each pattern And texture intricately crafted to evoke the organic elements found in the Natural world. With hues reminiscent of earthy tones, serene blues, and Vibrant greens, the tiles transport the observer to tranquil forests, tranquil Beaches, or lush gardens. From the gentle swirls mimicking the flow of water To the intricate leaf motifs, every detail reflects the harmony and balance Found in nature's creations. Whether its indoor spaces or outdoor spaces, it Creating a serene and inviting ambiance that celebrates the timeless Elegance of the natural world.



# ILLUMINATING INTERIORS WITH IMPECCABLE SHINE.



#### PRODUCT PROPERTIES













#### **I** COMPACTNESS

Porcelain stoneware has Compact, non-porous Surfaces. This characteristic Makes the material highly Safe, hygienic and ideal for Food contact.

#### **HYGENIC**

Porcelain stoneware are Nsf-certified for direct food Contact and are therefore Ideal for safe use in both Domestic and restaurant Settings.

#### **STRENGTH**


Porcelain stoneware has Excellent strength and surface Hardness make the surfaces Resistant to wear, scratches And almost all physical and Mechanical stresses.

#### **I**STABILITY

The chemical-physical Stability of porcelain Stoneware makes it a Material resistant to Chemicals, not prone to Color changes.

#### **TECH-MARBLE**

Thanks to advanced production Technology, skype tiles are allow The reproduction of any colour, Texture, pattern or textural effect Guaranteeing extraordinary Aesthetic versatility. SEIZE A PLAYFUL YET SOPHISTICATED AMBIANCE IN YOUR SPACES WITH AN LUXURIOUS COLLECTION



# EVERY SPACE TELLS A STORY, LET TILES BE YOUR NARRATOR.

### It's A Clickable Catalogue





Tap To







#### SKYPE TILE





3641






3643







3648



3655









3662



3664



#### SKYPE TILE










3699











3706



3711










DIMENSION 600X1200MM | 60X120CM

SURFACE GLOSSY SURFACE



¢,

Human Figure Height 1.80

Available In **4 Randoms** 











DIMENSION

Available In 4 Randoms DESIGN NAME 3639

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE**  Available In 4 Randoms DESIGN NAME 3640

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 

SURFACE **GLOSSY SURFACE** 

600X1200MM | 60X120CM





Available In 4 Randoms











DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 



222 (my) 600

СС С


₩

Human Figure Height 1.80

Available In 4 Randoms









Available In 4 Randoms

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 



DESIGN NAME 3643


DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE**  Available In 4 Randoms



DIMENSION

SURFACE **GLOSSY SURFACE** 








Available In 4 Randoms

600X1200MM | 60X120CM












DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 





Human Figure Height 1.80

Available In 4 Randoms









Available In 4 Randoms

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 



DESIGN NAME 3647

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE**  Available In 4 Randoms DESIGN NAME 3648

DIMENSION

SURFACE **GLOSSY SURFACE** 







Available In 4 Randoms


600X1200MM | 60X120CM












DIMENSION 600X1200MM | 60X120CM

SURFACE GLOSSY SURFACE





÷

Human Figure Height 1.80

Available In 4 Randoms









Available In 4 Randoms

DESIGN NAME 3651

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE**  Available In 4 Randoms DESIGN NAME 3652

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 

SURFACE **GLOSSY SURFACE** 

600X1200MM | 60X120CM

DIMENSION






Available In 4 Randoms












DIMENSION 600X1200MM | 60X120CM

SURFACE GLOSSY SURFACE





Human Figure Height 1.80

Available In **4 Randoms** 









Available In 4 Randoms DESIGN NAME 3655

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE**  Available In 4 Randoms DESIGN NAME 3656

DIMENSION

SURFACE **GLOSSY SURFACE** 

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 








Available In 4 Randoms


600X1200MM | 60X120CM












DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 





÷,

Human Figure Height 1.80

Available In 4 Randoms









DIMENSION

SURFACE

**GLOSSY SURFACE** 

600X1200MM | 60X120CM

Available In 4 Randoms

DESIGN NAME 3659

> DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE**  Available In 4 Randoms DESIGN NAME 3660

DIMENSION

SURFACE **GLOSSY SURFACE** 












Available In 4 Randoms

600X1200MM | 60X120CM





Porcelux Collection








DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 





¢,

Human Figure Height 1.80

Available In 4 Randoms









Available In 4 Randoms

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 



DESIGN NAME 3663

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE**  Available In 4 Randoms DESIGN NAME 3664

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 








Available In 4 Randoms












DIMENSION 600X1200MM | 60X120CM

SURFACE GLOSSY SURFACE





Human Figure Height 1.80

Available In **4 Randoms** 









Available In 4 Randoms

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 



DESIGN NAME 3667

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE**  Available In 4 Randoms DESIGN NAME 3668

DIMENSION

SURFACE **GLOSSY SURFACE** 









Available In 4 Randoms

600X1200MM | 60X120CM












DIMENSION 600X1200MM | 60X120CM

SURFACE GLOSSY SURFACE





Human Figure Height 1.80

Available In **4 Randoms** 









DIMENSION

Available In 4 Randoms

DIMENSION

SURFACE

**GLOSSY SURFACE** 

600X1200MM | 60X120CM





Available In

4 Randoms

DESIGN NAME 3672

DIMENSION

SURFACE **GLOSSY SURFACE** 

SURFACE **GLOSSY SURFACE** 

600X1200MM | 60X120CM





Available In 4 Randoms

600X1200MM | 60X120CM











DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 






Human Figure Height 1.80

Available In 4 Randoms









DIMENSION

SURFACE

**GLOSSY SURFACE** 

600X1200MM | 60X120CM

Available In 4 Randoms

DESIGN NAME 3675

> DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE**  Available In 4 Randoms 3676

DIMENSION

SURFACE **GLOSSY SURFACE** 














Available In 4 Randoms

600X1200MM | 60X120CM












DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 






¢,

Human Figure Height 1.80

Available In 4 Randoms









DIMENSION

SURFACE

**GLOSSY SURFACE** 

600X1200MM | 60X120CM


Available In 4 Randoms 3679

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE**  Available In 4 Randoms DESIGN NAME 3680

DIMENSION

SURFACE **GLOSSY SURFACE** 










Available In 4 Randoms


600X1200MM | 60X120CM












DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 





ţ

Human Figure Height 1.80

Available In 4 Randoms









Available In 4 Randoms

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 



DESIGN NAME 3683

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE**  Available In 4 Randoms DESIGN NAME 3684

DIMENSION

SURFACE **GLOSSY SURFACE** 








Available In 4 Randoms


600X1200MM | 60X120CM













DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 



600 Human Figure Height 1.80

÷ t


60

₩

Available In 4 Randoms










Available In 4 Randoms

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 





DESIGN NAME 3687


DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE**  Available In 4 Randoms DESIGN NAME 3688

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 








Available In 4 Randoms












DIMENSION 600X1200MM | 60X120CM

SURFACE GLOSSY SURFACE





Human Figure Height 1.80

Available In **4 Randoms** 









DIMENSION

SURFACE

**GLOSSY SURFACE** 

600X1200MM | 60X120CM

Available In 4 Randoms 3691


DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE**  Available In 4 Randoms



DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 








4 Randoms












DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 





¢,

50

Human Figure Height 1.80

Available In 4 Randoms










Available In 4 Randoms

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 



DESIGN NAME 3695

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE**  Available In 4 Randoms DESIGN NAME 3696

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 








Available In 5 Randoms












DIMENSION 600X1200MM | 60X120CM

SURFACE GLOSSY SURFACE




Human Figure Height 1.80

Available In **4 Randoms** 









DIMENSION

SURFACE

**GLOSSY SURFACE** 

600X1200MM | 60X120CM

Available In 5 Randoms

DESIGN NAME 3699

> DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE**  Available In 5 Randoms

3700

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 









Available In 4 Randoms












DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 






Available In 4 Randoms









Available In


4 Randoms



DIMENSION

600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 



DESIGN NAME 3703


DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE**  Available In 4 Randoms DESIGN NAME 3704

DIMENSION

SURFACE **GLOSSY SURFACE** 






Available In 2 Randoms

600X1200MM | 60X120CM









DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 




Human Figure Height 1.80

Available In 2 Randoms










Available In 2 Randoms

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 



DESIGN NAME 3707

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE**  Available In 4 Randoms DESIGN NAME 3708

DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 






Available In 4 Randoms









DIMENSION 600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 

Available In **4 Randoms** 





3710

DIMENSION

SURFACE

**GLOSSY SURFACE** 

600X1200MM | 60X120CM











Available In 4 Randoms

600X1200MM | 60X120CM

SURFACE **GLOSSY SURFACE** 

Available In 4 Randoms









## TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE OF SKYPE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
traightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
ectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
urface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
urface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
urface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
urface quality	> 95% defects free	> 95% defects free	ISO 10545-2
mall Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
lossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
lossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
lossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
ructural Properties			
/ater absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Jlk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
assive Mechanical Properties			
odulus of rupture	Min. 30.0 N/mm <sup>2</sup>	Min. 35.0 N/mm <sup>2</sup>	ISO 10545-4
reaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
eaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
eaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
urface Mechanical Properties			
OH'S hardness	as per mfg.	Polished Min 4* / Satin,Posh & Matt Min 6	BS EN 15771
urface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
eep abrasion resistance	Max. 175mm <sup>3</sup>	Max. 132mm <sup>3</sup>	ISO 10545-6
nermal Hydrometric Properties			
oisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
nermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 <sup>-6</sup>	ISO 10545-8
ermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
npact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
ost resistance	as per mfg.	Frost Proof	ISO 10545-12
hemical Properties			
esistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
esistance to household chemicals & vimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
esistance to low concentrate acid and Ikalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
esistance to high concentrate acid and Ikalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
afety Properties			
kid resistance COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
lip resistance - (Satin / Matt (DCOF) R value)##	as per mfg.	R9 to R13**	DIN 51130
ire resistance	stance as per mfg.		N.A.

## PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT-PGVT	600x 1200mm	9mm	2 pcs.	1.44 sq. mtr.	27 KG (APPROX)





SKYPE TILE LLP Jetpar - Pipli Road, Opp. Blackberry Tiles, At: Shapar, Morbi, Gujarat, 363642

**Email** info@skypetile.com Website info@skypetile.com

**Contact** +91 99259 22227

STYLO